

- kinase signalling in excitatory synaptic transmission and plasticity. *Curr Opin Neurobiol* 2001; 11:336-42
35. Zhang X, Wu J, Fang L, Willis WD: The effects of protein phosphatase inhibitors on nociceptive behavioral responses of rats following intradermal injection of capsaicin. *Pain* 2003; 106:443-51
 36. Raghavendra V, Tanga F, Rutkowski MD, DeLeo JA: Anti-hyperalgesic and morphine-sparing actions of propentofylline following peripheral nerve injury in rats: Mechanistic implications of spinal glia and proinflammatory cytokines. *Pain* 2003; 104:655-64
 37. Lander HM: An essential role for free radicals and derived species in signal transduction. *FASEB J* 1997; 11:118-24
 38. Floyd RA: Antioxidants, oxidative stress, and degenerative neurological disorders. *Proc Soc Exp Biol Med* 1999; 222: 236-45
 39. Floyd RA, Hensley K: Oxidative stress in brain aging. Implications for therapeutics of neurodegenerative diseases. *Neurobiol Aging* 2002; 23:795-807
 40. Willis WD: Role of neurotransmitters in sensitization of pain responses. *Ann N Y Acad Sci* 2001; 933:142-56
 41. Selimovic D, Hassan M, Haikel Y, Hengge UR: Taxol-induced mitochondrial stress in melanoma cells is mediated by activation of c-Jun N-terminal kinase (JNK) and p38 pathways via uncoupling protein 2. *Cell Signal* 2008; 20:311-22
 42. Tsuji M, Inanami O, Kuwabara M: Neuroprotective effect of alpha-phenyl-N-tert-butyl nitronone in gerbil hippocampus is mediated by the mitogen-activated protein kinase pathway and heat shock proteins. *Neurosci Lett* 2000; 282: 41-4
 43. Chen G, Griffin M, Poyer JL, McCay PB: HPLC procedure for the pharmacokinetic study of the spin-trapping agent, alpha-phenyl-N-tert-butyl nitronone (PBN). *Free Radic Biol Med* 1990; 9:93-8
 44. Chung JM, Chung K: Importance of hyperexcitability of DRG neurons in neuropathic pain. *Pain Pract* 2002; 2:87-97
 45. Liu CN, Amir R, Devor M: Effect of age and nerve injury on cross-excitation among sensory neurons in rat dorsal root ganglia. *Neurosci Lett* 1999; 259:95-8
 46. Liu CN, Raber P, Ziv-Sefer S, Devor M: Hyperexcitability in sensory neurons of rats selected for high versus low neuropathic pain phenotype. *Neuroscience* 2001; 105:265-75
 47. Xiao W, Naso L, Bennett GJ: Experimental studies of potential analgesics for the treatment of chemotherapy-evoked painful peripheral neuropathies. *Pain Med* 2008; 9:505-17
 48. Kotake Y: Pharmacologic properties of phenyl N-tert-butyl nitronone. *Antioxid Redox Signal* 1999; 1:481-99

ANESTHESIOLOGY REFLECTIONS

Young's Maquette by Rhind of Crawford Long



As a young surgeon-anesthetist, Hugh H. Young (1870–1945) of Johns Hopkins popularized Georgian physician Crawford W. Long (1815–1878) as the world's first serial etherizer. Later, as a renowned urologist, Young officiated in 1926 when the State of Georgia unveiled a marble of Long in the National Statuary Hall Collection of the U.S. Capitol. The gold-painted plaster maquette above is one of at least three models of Long fashioned by sculptor J. Massey Rhind (1860–1936) before chiseling the final statue from Georgian marble. Significantly, the maquette above passed through Hugh Young's hands on its way to the Wood Library-Museum of Anesthesiology. (Copyright © the American Society of Anesthesiologists, Inc. This image appears in color in the *Anesthesiology Reflections* online collection available at www.anesthesiology.org.)

George S. Bause, M.D., M.P.H., Honorary Curator, ASA's Wood Library-Museum of Anesthesiology, Park Ridge, Illinois, and Clinical Associate Professor, Case Western Reserve University, Cleveland, Ohio. UJYC@aol.com.