

26. Radiometer: ABL 700 Series Reference Manual. Brønshøj, Denmark, Radiometer, 2000
27. Bland JM, Altman DG: Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet* 1986; 1:307-10
28. Bland JM, Altman DG: Comparing methods of measurement: Why plotting difference against standard method is misleading. *Lancet* 1995; 346:1085-7
29. Mantha S, Roizen MF, Fleisher LA, Thisted R, Foss J: Comparing methods of clinical measurement: Reporting standards for Bland and Altman analysis. *Anesth Analg* 2000; 90:593-602
30. Bland JM, Altman DG: Agreement between methods of measurement with multiple observations per individual. *J Biopharm Stat* 2007; 17:571-82
31. Klijn E, Den Uil CA, Bakker J, Ince C: The heterogeneity of the microcirculation in critical illness. *Clin Chest Med* 2008; 29:643-54
32. Frost M, Meyerhoff ME: In vivo chemical sensors: Tackling biocompatibility. *Anal Chem* 2006; 78:7370-7
33. Swindle MM: *Swine in the Laboratory*, 2nd edition. Boca Raton, CRC Press, 2007, pp 231-2
34. Clarke WL, Cox D, Gonder-Frederick LA, Carter W, Pohl SL: Evaluating clinical accuracy of systems for self-monitoring of blood glucose. *Diabetes Care* 1987; 10:622-8
35. Kollman C, Wilson DM, Wysocki T, Tamborlane WV, Beck RW, Diabetes Research in Children Network Study Group: Limitations of statistical measures of error in assessing the accuracy of continuous glucose sensors. *Diabetes Technol Ther* 2005; 7:665-72

ANESTHESIOLOGY REFLECTIONS

Vandam's Headquarters Building of the American Society of Anesthesiologists



Blind in one eye, a watercolorist rushed across Northwest Highway to paint the newly opened (in 1992) ASA Headquarters Building, in Park Ridge, Illinois. That artist was a retired Editor of *ANESTHESIOLOGY* named Leroy D. "Roy" Vandam, M.D. (1914-2004). Dr. Vandam's watercolor (*left*) would soon grace frontispieces of "Careers in Anesthesiology," an 11-volume series of memoirs and biographies available from the Wood Library-Museum. Another professor emeritus, B. Raymond Fink (1914-2000), was absolutely thrilled with Vandam's *Headquarters* watercolor: "Inside and out, the entire edifice exudes pride and dedication to the ageless ideals of the physicians who planned, own, and use it. Leroy Vandam's evocative painting . . . reflects the subtle unifying role of the Society. . . ." (Copyright © the American Society of Anesthesiologists, Inc. This image also appears in the *Anesthesiology Reflections* online collection available at www.anesthesiology.org.)

George S. Bause, M.D., M.P.H., Honorary Curator, ASA's Wood Library-Museum of Anesthesiology, Park Ridge, Illinois, and Clinical Associate Professor, Case Western Reserve University, Cleveland, Ohio. UJYC@aol.com.